


COMPANY PROFILE



INDUSTRIAL VALVES



OIL & GAS
PIPING
MATERIALS



COMPANY PROFILE



CHI SIAMO

OPM ITALIA è una società leader di mercato, fondata nel 1997 da Angelo Peverelli, persona con una lunga esperienza in aziende di primaria importanza, nel settore del "piping", specializzata in valvole e accessori per il controllo e la regolazione dei fluidi, utilizzate nel settore petrolchimico, dell'industriachimica e nel settore della produzione / distribuzione del gas ed energia. Grazie all'esperienza maturata, OPM ITALIA focalizza la propria attività di produzione e distribuzione in tempi molto brevi - grazie a un importante stock - di prodotti quali:

Valvole in acciaio forgiato e fuso, a saracinesca, globo e ritegno
 Valvole a sfera, tipo monoblocco, Floating e Trunnion
 Filtri a "Y", "T", Cestello, Temporanei e Conici, anche costruiti su disegno del cliente
 Spie Visive, Scaricatori di condensa, valvole a spillo
 Valvole a farfalla e rubinetti a maschio

OPM ITALIA è sempre volta alla soddisfazione del cliente, fornendo un prodotto di altissima qualità e di un servizio completo ed efficiente, garantito da un supporto tecnico e commerciale di primissimo livello.

ABOUT US

OPM ITALIA is a leading piping sector company, established in 1997 by Angelo Peverelli, a person with vast experience in primary companies and a high level of specialization in fluid control valves and accessories used in the petrochemical, chemical industry, Power plant and Gas distribution sectors. This long experience allows OPM ITALIA to tailor and focus its activity on the manufacture and very short lead-time supply of a wide range of products as follows:

*Forged and Cast steel valves, Gate, Globe and Check
 Monoblock, Floating and Trunnion Ball valves
 "Y", "Tee", Basket, Temporary, Conical, manufactured - if required - to specific customer drawings Strainers
 Flow indicators, Steam Traps, Needle valve
 Butterfly and Plug valve*

OPM ITALIA's policy is, first and foremost, Customer Satisfaction, providing a product of high quality and a complete and efficient service, supported by technical support and commercial of the highest level.



COSTRUZIONI SECONDO CONSTRUCTION ACCORDING TO

- ASME B16.34
- API 6A
- API 6D
- API 594
- API 599
- API 600
- API 602
- API 606/608
- API 607
- API 609
- API 622
- API 623
- API 624
- BS 1868
- BS 1873
- BS 5351
- BS 5352

CERTIFICAZIONI CERTIFICATION

- EN-ISO 10204.3.1
- PED DIRECTIVE (module H) 97/23/EC
- ISO 9001
- TR CU EAC 010
- TR CU EAC 032




NOTIFIED BODY: 1354



EAC EurAsian Conformity

I NOSTRI SERVIZI OUR SERVICES

- CONNECTION MACHINING
- ACTUATOR ASSEMBLY AND TESTING
- NDE
- PAINTING
- PRESSURE TEST



QUALITÀ
QUALITY



SALES AND ASSISTANCE SERVICE

OPM È CERTIFICATA CON SISTEMA DI QUALITÀ UNI EN ISO 9001: 2015. I SUOI PRODOTTI SONO CERTIFICATI CON MARCHIO CE SECONDO LA DIRETTIVA PED. IL SUO SISTEMA DI QUALITÀ INTERESSA L'INTERA CATENA PRODUTTIVA.
 OPM IS ISO 9001 QUALITY SYSTEM CERTIFIED. ITS PRODUCTS ARE CE MARKING CERTIFIED ACCORDING TO PED DIRECTIVE. IT'S QUALITY SYSTEM COVERS THE ENTIRE PRODUCTION CHAIN.



VALVOLE FUSE



SARACINESCHE, PASSAGGIO TOTALE, BB / WB / PSB
 VALVOLE A DISCO, PASSAGGIO TOTALE, BB / WB / PSB
 VALVOLE DI RITEGNO A CLAPET, PASSAGGIO TOTALE, BB / WB
 VALVOLE DI RITEGNO DOPPIO/SINGOLO BATTENTE, TIPO WAFER

DIAMETRI
 2" A 56"
CLASSI
 150 LBS A 4500 LBS
CONNESSIONI
 FLANGIATE, RF / RTJ
 ASME B16.5 / ASME B16.47 A/B
 A SALDARE DI TESTA, ASME B16.25

MATERIALI
 ACCIAI AL CARBONIO
 ACCIAI LEGATI ED ESOTICI
 ACCIAI INOSSIDABILI
MANOVRA
 VOLANTINO,
 CON RIDUTTORE
 CON PREDISPOSIZIONE
 PER ATTUATORE



CAST VALVES

**GATE VALVES, FULL BORE, BOLTED/WELDED
 BONNET/PRESSURE SEAL**
**GLOBE VALVES, FULL BORE, BOLTED/WELDED
 BONNET/PRESSURE SEAL**
SWING CHECK VALVES, FULL BORE, BOLTED/WELDED COVER
DUAL/SINGLE PLATE WAFER TYPE CHECK VALVES

SIZES
 2" TO 56"
CLASS
 150 LBS TO 4500 LBS
ENDS
 FLANGED, RAISED FACE / RING JOINT,
 ASME B16.5 / ASME B16.47 A/B
 BUTT WELDING TO ASME B16.25

MATERIALS
 CARBON STEEL
 ALLOY AND EXOTIC STEEL
 STAINLESS STEEL
OPERATION
 HANDWHEEL
 GEAR
 BARE STEM

VALVOLE FORGIATE

SARACINESCHE PASSAGGIO RIDOTTO / TOTALE, BB / WB
VALVOLE A DISCO, PASSAGGIO RIDOTTO / TOTALE, BB / WB
VALVOLE DI RITEGNO A PISTONE, PASS. RIDOTTO / TOTALE, BB / WB
VALVOLE DI RITEGNO A CLAPET, PASS. RIDOTTO / TOTALE, BB / WB
VALVOLE SECONDO NORMATIVE ENI

DIAMETRI

1/4" A 2"

CLASSI

150 LBS A 4500 LBS

CONNESSIONI

FILETTATE SECONDO ASME B1.20.1

A SALDARE A TASCA, ASME B16.11

A SALDARE DI TESTA, ASME B16.25

FLANGIATE, RF / RTJ, ASME B16.5

MATERIALI

ACCIAI AL CARBONIO

ACCIAI LEGATI ED ESOTICI

ACCIAI INOSSIDABILI

MANOVRA

VOLANTINO,

CON RIDUTTORE



FORGED VALVES

*GATE VALVES, REDUCED/FULL BORE, BOLTED/WELDED BONNET
GLOBE VALVES, REDUCED/FULL BORE, BOLTED/WELDED BONNET
PISTON CHECK VALVES, REDUCED/FULL BORE, BOLTED/WELDED COVER
SWING CHECK VALVES, REDUCED/FULL BORE, BOLTED/WELDED COVER
VALVES IN ACCORDANCE WITH ENI SPECS.*

SIZES

1/4" TO 2"

CLASS

150 LBS TO 4500 LBS

ENDS

THREADED END TO ASME B1.20.1

SOCKET WELDING TO ASME B16.11

BUTT WELDING TO ASME B16.25

FLANGED, RAISED FACE, RING JOINT, ASME B16.5

MATERIALS

CARBON STEEL

ALLOY AND EXOTIC STEEL


STAINLESS STEEL

OPERATION

HANDWHEEL

GEAR





VALVOLE A SFERA BALL VALVES

**MONOBLOCCO,
2/3 PEZZI A FLOTTANTE
TRUNNION MOUNTED
TOP ENTRY, PASS. RIDOTTO/TOTALE**

DIAMETRI
1/4" A 56"
CLASSI
150 LBS A 4500 LBS
CONNESSIONI
FILETTATE SECONDO ASME B1.20.1
A SALDARE A TASCA, ASME B16.11
CON NIPPLI, TUTTI I TIPI DI CONNESSIONE
A SALDARE DI TESTA, ASME B16.25
FLANGIATE, RF / RTJ, ASME B16.5 / ASME B16.47 A/B
MATERIALI
ACCIAI AL CARBONIO
ACCIAI LEGATI ED ESOTICI
ACCIAI INOSSIDABILI
MANOVRA
LEVA, RIDUTTORE
CON PREDISPOSIZIONE PER ATTUATORE

**MONOBLOC TYPE
2/3 PCS FLOATING
TRUNNION MOUNTED
TOP ENTRY
FULL/REDUCED BORE**

SIZES
1/4" A 56"
CLASS
150 LBS TO 4500 LBS
ENDS
THREADED END TO ASME B1.20.1
SOCKET WELDING TO ASME B16.11
NIPPLE ENDS, ALL DIFFERENT CONNECTIONS
BUTT WELDING TO ASME B16.25
FLANGED, RAISED FACE, RING JOINT, ASME B16.5 / ASME B16.47 A/B
MATERIALS
CARBON STEEL
ALLOY AND EXOTIC STEEL
STAINLESS STEEL
OPERATION
LEVER, GEAR
BARE STEM





SPIE VISIVE / INDICATORI DI FLUSSO SIGHT GLASSES / FLOW INDICATOR

**VETRI TEMPERATI / BOROSILICATI
CON ALETTE FISSE / SFERA FLOTTANTE**

DIAMETRI
1/4" A 12"
CLASSI
150 LBS A 300 LBS
CONNESSIONI
FILETTATE SECONDO ASME B1.20.1
A SALDARE A TASCA, ASME B16.11
A SALDARE DI TESTA, ASME B16.25
FLANGIATE, RF / RTJ, ASME B16.5
MATERIALI
ACCIAI AL CARBONIO
ACCIAI LEGATI ED ESOTICI
ACCIAI INOSSIDABILI

**BOROSILICATED / TEMPERATED GLASS
W/FIXED FLAP / FLOATING BALL**

SIZES
1/4" A 12"
CLASS
150 LBS TO 300 LBS
ENDS
THREADED END TO ASME B1.20.1
SOCKET WELDING TO ASME B16.11
BUTT WELDING TO ASME B16.25
FLANGED, RAISED FACE / RING JOINT, ASME B16.5
MATERIALS
CARBON STEEL
ALLOY AND EXOTIC STEEL
STAINLESS STEEL



FILTRI FILTERS

**TIPO "Y"
TIPO "T"
TEMPORANEI / CONICI
A CESTELLO**


DIAMETRI
1/4" A 24" (TIPO A "Y")
2" A 72" (TIPO TEMPORANEI / CONICI)
2" A 56" (TIPO A CESTELLO)
CLASSI
150 LBS A 2500 LBS
CONNESSIONI
FILETTATE SECONDO ASME B1.20.1
A SALDARE A TASCA, ASME B16.11
CON NIPPLI, TUTTI I TIPI DI CONNESSIONE
A SALDARE DI TESTA, ASME B16.25
FLANGIATE, RF / RTJ, ASME B16.5 / ASME B16.47 A/B
MATERIALI
ACCIAI AL CARBONIO
ACCIAI LEGATI ED ESOTICI
ACCIAI INOSSIDABILI



FILTERS/STRAINERS

**"Y" TYPE
"TEE" TYPE
TEMPORARY / CONICAL TYPE
BASKET TYPE**

SIZES
1/4" A 24" ("Y" TYPE)
2" A 72" (TEMPORARY / CONICAL TYPE)
2" A 56" (BASKET TYPE)
CLASS
150 LBS TO 2500 LBS
ENDS
THREADED END TO ASME B1.20.1
SOCKET WELDING TO ASME B16.11
NIPPLE ENDS, ALL DIFFERENT CONNECTIONS
BUTT WELDING TO ASME B16.25
FLANGED, RAISED FACE, RING JOINT, ASME B16.5 / ASME B16.47 A/B
MATERIALS
CARBON STEEL
ALLOY AND EXOTIC STEEL
STAINLESS STEEL





Diversi tipi di valvole e accessori per il piping, di più marche, sono disponibili nel nostro magazzino, per differenti tipologie di impianti e utilizzi. Il nostro team - grazie ad una filiera molto efficiente - è in grado di garantire tempi di consegna brevi, anche giornalieri, se richiesto dai nostri clienti.


Circa 20000 pezzi sono regolarmente presenti nel nostro magazzino

Various types of valves and accessories for piping, of different brands, are available in our warehouse, for several types of systems and uses.

Our team - thanks to a very efficient supply chain - is able to guarantee short delivery times, even daily, if requested by our customers.

About 20000 pieces are regularly available in our warehouse


LO STOCCAGGIO STORAGE





PER COMPLETAMENTO PACCHETTI POSSIAMO FORNIRE VALVOLE A FARFALLA A TENUTA MORBIDA O METALLICA - RUBINETTI A MASCHIO - INDICATORI DI LIVELLO A VETRO O MAGNETICI - SCARICATORI DI CONDENZA E TUTTO QUANTO INERENTE AL PIPING QUALI TUBI, FLANGE, GUARNIZIONI, TITANTI, RACCORDI.

TO COMPLETE PACKAGES, WE ARE ABLE TO SUPPLY SOFT SEATED AND METAL TO METAL BUTTERFLY VALVES - PLUG VALVES - GLASS OR MAGNETIC TYPE LEVEL GAUGE - STEAM TRAPS AND ANY KIND OF ACCESSORIES FOR PIPING, LIKE PIPES, FLANGES, GASKETS, STUDBOLTS/ NUTS OR FITTINGS TOO.



**OIL & GAS
PIPING
MATERIALS**



O.P.M. ITALIA Srl

Via Murri, 24 int.40 20013 Magenta Milano Italy

Phone +39 02 97003091 Fax +39 02 97290132

www.opmitalia.com e-mail info@opmitalia.com