



# Technická inšpekcia, a.s.

Trnavská cesta 56, 821 01 Bratislava, Slovenská republika

## CERTIFICATE

no. 380/5/2023

Technická inšpekcia, a. s., Trnavská cesta 56, 821 01 Bratislava, Slovakia

notified body: 1354,

on the basis of results from assessment of full quality assurance system

**notifies, that**

*O.P.M. Italia s.r.l.,*

*Via Romolo Murri 40, 20013 Magenta (MI), Italy*

implemented and applies system of full quality assurance (module H)  
according to the European Directive 2014/68/EU on pressure equipment

Range of equipment:

Ball valves to PN 250; to DN 600

Strainers to PN 250; to DN 600

Gate valves to PN 250; to DN 600

Globe valves to PN 250; to DN 600

Check valves to PN 250; to DN 600

Audit Report no. 380/5/2023

Manufacturer shall inform Technická inšpekcia, a. s. of any intended change of system of full quality assurance (module H).

Certificate is valid until 8<sup>th</sup> March 2026

*The Certificate validity is conditioned with performing of surveillance by Technická inšpekcia, a.s. for minimum 1 periodic audit per 12 months. Performing of periodic audit is proved by Audit Report.*

Date of initial notification: 1<sup>st</sup> March 2011

Bratislava, on 9<sup>th</sup> March 2023



CST4-190

  
JUDr. Vladimír Jurík  
General Director

A 019123

Valve type	Pressure Grade	Dimension
<b>Check Valve</b> EN 16767:2016 ASME B16.34-2017	PN 1	DN 25 to DN 600
	PN 2,5	DN 25 to DN 600
	PN 6	DN 25 to DN 600
	PN 10	DN 25 to DN 600
	PN 16	DN 25 to DN 500
	PN 25	DN 25 to DN 500
	PN 40	DN 25 to DN 500
	PN 64	DN 25 to DN 500
	PN 100	DN 25 to DN 500
	PN 150	DN 25 to DN 500
	PN 200	DN 25 to DN 500
	PN 250	DN 25 to DN 500
<b>Strainer</b> ASME B16.34-2017	PN 1	DN 25 to DN 600
	PN 2,5	DN 25 to DN 600
	PN 6	DN 25 to DN 600
	PN 10	DN 25 to DN 600
	PN 16	DN 25 to DN 500
	PN 25	DN 25 to DN 500
	PN 40	DN 25 to DN 500
	PN 64	DN 25 to DN 500
	PN100	DN 25 to DN 500
	PN 150	DN 25 to DN 500
	PN 200	DN 25 to DN 500
	PN 250	DN 25 to DN 500

**Material:**

Specification	Material Grade	Valve type
ASTM A 105	--	all types referred in Annex
ASTM A 216	WCB	
ASTM A 217	C5, WC1, WC6, WC9	
ASTM A 351	CF3, CF3M, CF8, CF8M	
ASTM A 352	LC1, LC2, LC3, LCB	



*Jurik*  
 JUDr. Vladimír Jurík  
 General Director



Annex to the Certificate no. 380/5/2023

Valve type	Pressure Grade	Dimension
<b>Ball Valve</b> EN 1983:2013, ASME B16.34-2017	PN 1	DN 25 to DN 600
	PN 2,5	DN 25 to DN 600
	PN 6	DN 25 to DN 600
	PN 10	DN 25 to DN 600
	PN 16	DN 25 to DN 500
	PN 25	DN 25 to DN 500
	PN 40	DN 25 to DN 500
	PN 64	DN 25 to DN 500
	PN 100	DN 25 to DN 500
	PN 150	DN 25 to DN 500
	PN 200	DN 25 to DN 500
	PN 250	DN 25 to DN 500
	<b>Gate Valve</b> EN 1171:2015, EN 1984:2010, ASME B16.34-2017	PN 1
PN 2,5		DN 25 to DN 600
PN 6		DN 25 to DN 600
PN 10		DN 25 to DN 600
PN 16		DN 25 to DN 500
PN 25		DN 25 to DN 500
PN 40		DN 25 to DN 500
PN 64		DN 25 to DN 500
PN 100		DN 25 to DN 500
PN 150		DN 25 to DN 500
PN 200		DN 25 to DN 500
PN 250		DN 25 to DN 500
<b>Globe Valve</b> EN 13709:2010, EN 13789:2010, ASME B16.34-2017		PN 1
	PN 2,5	DN 25 to DN 600
	PN 6	DN 25 to DN 600
	PN 10	DN 25 to DN 600
	PN 16	DN 25 to DN 500
	PN 25	DN 25 to DN 500
	PN 40	DN 25 to DN 500
	PN 64	DN 25 to DN 500
	PN 100	DN 25 to DN 500
	PN 150	DN 25 to DN 500
	PN 200	DN 25 to DN 500
	PN 250	DN 25 to DN 500

